

# Wicanders. Sustainability and Superior Technological Innovation

Amorim Revestimentos, the world leader in the production and distribution of cork flooring, presents the Wicanders brand, respected for quality, style and technological innovation around the world.

Cork is one of natures miracles and no man-made material can match it. Completely biological, renewable and sustainable, cork is unique. It is safely harvested from the cork oak tree every nine years without causing any harm to the tree and the bark regrows producing a smoother texture after each harvest.

Using the latest manufacturing technology we are able to transform the cork with its natural properties for sound reduction, thermal insulation and elasticity into stylish, practical, innovative and unique flooring solutions.

Patent Pending

### The new technological revolution

The new Wicanders® Acousticork® NRT (Noise reduction Technology) is the latest revolution in flooring. An innovative cork-based core layer creates a quieter, warmer and more comfortable floor. No other material can match the natural and unique properties of cork.



The new Wicanders® Acousticork® NRT is the most silent and comfortable floor existing in the market. Its cork-based revolutionary structure achieves a significant improvement in sound reduction.



With unique and innovative thermal insulation properties, Wicanders® Acousticork® NRT always provides an optimal floor temperature.

# Other advantages for your quality of life



### Fast & Easy Installation

Whether you will choose an Acoustic cork or Acoustic wood flooring solution, Wicanders® Acousticork® NRT is quicker and easier to install than ever before.

The improved glueless CORKLOC connecting system floor saves time and reduces installation expense.



The unique characteristics of cork also ensure that a WICANDERS floor is more comfortable to walk and stand on. Corks shock-absorbing properties relieve strain on your feet, joints, legs and back.



#### **Durability**

With their unique cork structure and tough resilient surface finishes, Wicanders® Acousticork® NRT floors are as durable as you'll ever need them to be. A Wicanders® Acousticork® NRT floor withstands years of wear and still looks as good as the day it was first laid.



#### Easy Maintenance

The specialised surface finishes of Wicanders® Acousticork® NRT floors make them easier to clean and maintain. A vacuum cleaner and a mop are all that is required to keep Wicanders® Acousticork® NRT floors looking as good as



#### Health

Wicanders® Acousticork® NRT floors come with surface finishes that put a stop to entrapped dirt, germs or fungus, thus actively contributing to a healthy and hygienic environment.




**Environmentally Friendly** Wicanders® Acousticork® NRT floors are made with natural products.
Cork is 100% biological and it is a renewable


and sustainable material becoming the best solution for those mindful of todays need for natural resources conservation.

# The most silent and comfortable flooring in the market


Wicanders has successfully developed a revolutionary cork-based core-layer for their flooring for significant improvement of both step sound and impact sound. Official test methods proved that Wicanders® Acousticork® NRT has the best balance between impact sound and step sound. Wicanders® Acousticork® NRT flooring achieved the best results of the market in terms of step sound performance compared to wood and laminate floors.



In terms of step sound, given its sound propagation characteristics, Wicanders® Acousticork® NRT reaches values of 76 dB – approximately 10 dB better than the acoustic woods and laminates tested. The drum sound effect is reduced significantly. It will also dramatically reduce high frequency sound and therefore improve walking comfort.




Due to its excellent sound insulation properties, in terms of impact sound values (sound which your downstairs neighbours hear), Wicanders® Acousticork® NRT reaches a value of 18 dB which represents a 3 dB improvement on market standard values. You will feel serenity inside your home, and your downstairs neighbours will also be grateful for the quietness that you will transmit to them. Silence has never been heard like this before.



### Warmth and comfort for the barefooted

The cork-based composition of Wicanders® Acousticork® NRT guarantees a degree of thermal insulation that other hard floor coverings can not match. Wicanders® Acousticork® NRT maintains a pleasant and comfortable temperature throughout the year.





### Extra comfort with every step you take

Additionally, the unique Wicanders® Acousticork® cork core absorbs the impact of every step, preventing the jarring effect and relieving pressure on the legs and back. Walking on Wicanders® Acousticork® flooring, you are going to experience a great sensation of lightness. Take comfort from the peaceful living environment that a Wicanders floor creates.









# Large range of natural wood and cork visuals

Wicanders® Acousticork® NRT is available in a wide range of wood, natural cork and coloured cork. Whether you want to use natural tones or subtle shades of colour to coordinate with your interior furnishings, you will find the right visual to create the perfect living environment.




I102A01 - Timide



1103A01 - Silver



W356A01 - Maple



W354A01 - Red Oak



0121A01 - Harmony



I119A01 - Secrets



W303A01 - Cherry

# Comfort and durability for commercial spaces


For commercial and high traffic areas, Wicanders has developed a high resistant wear layer finishing that guarantees durability and protects the surface of your floor. Wicanders® Acousticork® NRT floors offer an efficient solution for commercial applications where silence, comfort, warmth as well as easy cleaning and maintenance are important. With a wide range of colour and design options to choose from you can create truly stylish and practical interiors.



I108A01 - Spice



W355A01 - Beech



W303A01 - Cherry



0121A01 - Harmony


# Choose the beauty of natural wood

Series 3000 Acousticork® NRT is available in a wide range of plank and three strip options.




## Or for the natural comfort of cork

Series 1000 Acousticork® NRT is available in a range of natural corks as well as subtle pastel tones which allow you to coordinate easily with interior furnishings.



## Technical solutions that satisfy all your needs








The revolutionary acoustic wood floor.

The O.5mm surface layer guarantees high resistance and preserves the durability of the floor. Easy to install, it is the best solution for high traffic residential areas, commercial and public spaces.









A floating floor with unique Acoustic characteristics and high durability.

It combines the natural characteristics of cork with a high resistant surface which retains the natural beauty of the cork and protects your floor from signs of wear.

Ideal for high traffic residential areas, commercial and public spaces. Easy and fast to install.

Step Sound Reduction			
POCO WIGANDERS AGUARDA VIOT	74 dB		
30000 WIGANDERS ADMARKSON NOTT	76 dB		
Standard NE S 31-074 - I dB			

Impact Sound Reduction			
TOGO WICANDERS	18 dB		
3CCO WICANDERIS Addustron viery	18 dB		
Standard FN 140-1- ALdB			

Standard NF S 31-074 - L<sub>n,e,w</sub>dE

TECHNICAL DATA SHEET									
	Test	Standard		Unit	1000	2000			
	Level of use	EN 685		Class	WICANDERS Accountered NITT	WICANDERS ADDUSTRION NOT			
	Domestic								
	Commercial								
	Industrial								
	General properties								
	Dimensions EN 427 / EN		1 428	mm	900x295x12	900x185x12			
				inches	36×11-10/16×15/32	36×7-9/32×15/32			
	Wear layer thickness EN 429			mm	0,50	0,50			
	Apparent density	EN 672		Kg/m <sup>3</sup>	≥700	≥700			
	Mass per unit area EN 430			g/m²	8400	8400			
	Dimensional stability EN 669			mm	+0,05	+0,03			
	Safety properties								
	Fire resistance	NF EN1350	1-1	Class	Bfl-s1	Bfl-s1			
	Additional properties								
	Impact sound reduction	EN 140-1		∆Lw dB	18	18			
	Step sound reduction	NF S 31-074	4	Ln, e, w dB	74	76			
				m²K/W	0,114	0,099			
	Thermal resistance IS			W/mK	0,1093	0,1313			
	Heat dissipation	DIN 52614		KJ/m <sup>2</sup>	W1:34 / W10: 144	W1:41 / W10: 169			
	Wear resistance EN 6		EN 660-1		Thickness loss: 0,026	Thickness loss: 0,05			
	vvedi i ediaddi ice	LIN 000-1		9	Weight loss: 0,49	Weight loss: 0,05			
	Castor chair test EN 425			Effect	Suitable	Suitable			
	Chair leg resistance EN 424			Effect	No changes	No changes			
		WICANI	DERS	WARRANT	Y				
le	We warrant that our flooring products			nestic 3, EN 685	20	20 S This risk Minus			
Structural	as new and through approved outlets, product & material faults, for the peri			mercial 1, EN 685	10	TO TIECTICA MONAGATI			
	the table			mercial B, EN 685	TION WARRENT TO	TION WARRENT TO			
Surface	We warrant, that the Surface Wear Layer of our flooring products will not wear through within the periods indicated in the table		Domestic Class 23, EN 685		20	20			
				mercial 1, EN 685	2 2000	10 2000cc minori			
				mercial B, EN 685	100 LIGHTAN MARKATY	10 Subsidia memeri			

For detailed and complete information about the Wicanders Warranty, please refer to the flooring packaging or visit www.wicanders.com

